

From: William.McMillin@CH2M.com
To: [Carr, Brian](#)
Cc: Juliana.Hess@CH2M.com
Subject: RE: CSO-LTCP_Gowanus Canal LTCP - DEC Submittal
Date: Friday, July 24, 2015 5:10:33 PM

Brian,

Here is a suggested Gowanus Canal water quality data request for NYCDEP:

On June 18, 2015 during a meeting between EPA and NYC, information and data was presented by NYC on water quality conditions in Gowanus Canal since the Flushing Tunnel was reactivated. EPA understood from statements made by the NYC representatives that the data was being prepared for publishing by the end of June. However, no release of the full data set collected by NYC appears to have been made.

The June 2015 *Combined Sewer Overflow, Long Term Control Plan for Gowanus Canal* report (LTCP Report) describes the collection of water quality data by the NYCDEP and others before and after the Gowanus Canal Waterbody/Watershed Plan was implemented. Water quality assessments for secchi disk transparency, dissolved oxygen and fecal coliform bacteria were described in the LTCP Report for the period after the Flushing Tunnel was reactivated in July 2014. Summary data was also presented for these parameters (plus enterococcus) to the public in May 2015. However, the data thus far presented is limited to only these parameters. The LTCP report does not provide a complete listing of all the data collected by NYCDEP in Gowanus Canal. The data made available by NYCDEP online for calendar year 2014 and to date in 2015

(http://www.nyc.gov/html/dep/html/harborwater/harbor_water_sampling_results.shtml) is limited to only dissolved oxygen, fecal coliform, enterococcus and secchi disk transparency. EPA understands from the latest published report by NYCDEP on its New York Harbor Survey Program (*The State of the Harbor 2012*, http://www.nyc.gov/html/dep/html/harborwater/harborwater_quality_survey.shtml) that total suspended solids and other data is collected by the NYCDEP Harbor Survey.

EPA has inquired with the New York State Department of Environmental Protection (NYSDEC) for post-construction monitoring data collected in Gowanus Canal since the Gowanus Canal Waterbody/Watershed Plan was implemented. NYSDEC provided NYCDEP's *CSO Post-Construction Compliance Monitoring and CSO Retention Facility Overflow Summary for Calendar Year 2014* that was submitted to NYSDEC on June 20, 2015. However, the summary does not include post-construction monitoring data for Gowanus Canal.

EPA requests that the NYCDEP provide all surface water quality data collected by the NYCDEP in calendar year 2014 and to date in 2015. An electronic spreadsheet of the data in Excel or similar format as NYCDEP has provided online and referenced above will suffice.

Let me know if you have any questions.

Take Care,
Bill

William E. McMillin Jr., P.E.*, D.WRE
CH2M

D 1 973 316 3530

M 1 973 493 9653

F 1 215 640 9398

E william.mcmillin@ch2m.com

From: Hess, Juliana/NJO
Sent: Thursday, July 23, 2015 10:41 AM
To: Carr, Brian
Cc: McMillin, William/NJO
Subject: RE: CSO-LTCP_Gowanus Canal LTCP - DEC Submittal

Thank you Brian, will forward to bill. His email address is below. J

william.mcmillin@ch2m.com

From: Carr, Brian [<mailto:Carr.Brian@epa.gov>]
Sent: Thursday, July 23, 2015 10:09 AM
To: Hess, Juliana/NJO
Subject: FW: CSO-LTCP_Gowanus Canal LTCP - DEC Submittal

Hi,

I got this from our water folks. It doesn't have the Gowanus monitoring, but might be useful for Bill's collection.

I don't have his email handy, if you want to pass this on to him.

Thanks,

Brian E. Carr
Assistant Regional Counsel
United States Environmental Protection Agency
Region 2
Office of Regional Counsel
290 Broadway, 17th Floor
New York, NY 10007
212-637-3170 phone
212-637-3104 fax
carr.brian@epa.gov

From: Stephansen, Stanley
Sent: Thursday, July 23, 2015 9:59 AM
To: Carr, Brian
Cc: Gratz, Jeff
Subject: RE: CSO-LTCP_Gowanus Canal LTCP - DEC Submittal

Hi Brian:

Here is a copy of the latest Post Construction Monitoring Report from the DEP. The report includes monitoring near the 4 existing CSO tanks; PCM for the Gowanus CSO controls may be added later.

The recently submitted CSO LTCP for the Gowanus includes monitoring information post-activation of the Flushing Tunnel, and this is probably what the City was talking about.

- Stan

From: Carr, Brian
Sent: Monday, July 20, 2015 2:57 PM
To: Stephansen, Stanley
Cc: Gratz, Jeff
Subject: RE: CSO-LTCP_Gowanus Canal LTCP - DEC Submittal

Stan,

At EPA's meeting about a month ago with the DEP, they said that they would shortly be submitting a post-construction monitoring report for the Gowanus.

I was wondering if that was something we'd gotten a copy of yet, or expected soon, as it may be helpful to have.

Thanks,

Brian E. Carr
Assistant Regional Counsel
United States Environmental Protection Agency
Region 2
Office of Regional Counsel
290 Broadway, 17th Floor
New York, NY 10007
212-637-3170 phone
212-637-3104 fax
carr.brian@epa.gov

From: Stephansen, Stanley
Sent: Monday, July 06, 2015 4:45 PM
To: Mugdan, Walter; Carr, Brian; Tsiamis, Christos; Singerman, Joel; Garbarini, Doug; McCabe, Catherine; Enck, Judith; Matthews, Joan
Cc: Gratz, Jeff
Subject: FW: CSO-LTCP_Gowanus Canal LTCP - DEC Submittal

Hi:

As requested, below is the link to download the Gowanus CSO LTCP. Please note the link expires on 7/7.

- Stan

Stan Stephansen
Clean Water Regulatory Branch
EPA Region 2
290 Broadway
New York, NY 10007-1866

Tel. 212-637-3776

From: Beckmann, Keith [<mailto:kbeckmann@dep.nyc.gov>]
Sent: Tuesday, June 30, 2015 7:51 PM
To: Kline, Gary E (DEC); DiMura, Joseph (DEC); Klotz, Mark A (DEC); Penner, Kaitlin (EFC); VonWergers, Mary (DEC); Elburn, Robert H (DEC); Allen, Linda J (DEC)
Cc: William Plache; Levine, Robin; Eckels, Marcella; Donnelly, Heather; Taylor, Janice B.; Petito, John; jmueller@dep.nyc.gov; Mahoney, Keith; Lee, Lily; Licata, Angela; Sapienza, Vincent; Degueldre, Lindsay; Clarke, Kevin; Mahoney, Eileen; Weissbard, Ron
Subject: FW: CSO-LTCP_Gowanus Canal LTCP - DEC Submittal

Please find the submittal for the Gowanus Canal LTCP as per the milestone date.

The links below are for download of the Gowanus Canal LTCP Report.

Thank you.

Keith W. Beckmann, P.E. | [Program Manager - LTCP](#) | NYC Environmental Protection |
Bureau of Wastewater Treatment
(O) 718-595-5009 | (C) 917-754-2424 | kbeckmann@dep.nyc.gov

This message is intended only for the use of the individual(s) or entity to which it is addressed and may contain information that is privileged, confidential and exempt from disclosure under applicable law. If the reader of this message is not the intended recipient or the employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this communication is strictly prohibited. If you have received this communication in error, please notify us immediately via email. Thank you for your cooperation.

This file will be available for download until 7/7/2015

| <u>File</u> | <u>Description</u> | <u>Size</u> |
|---|---------------------------|--------------------|
| CSO-LTCP Gowanus Canal June 2015 LTCP Final.pdf | | 16,436KB |
| Download all files (.zip) | | |

This is ready for submission to DEC. Hard copies to follow.